

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 1 of 12

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

Product identifier used on the label

: **LDC-50 - Classic™**

Product Code(s) : F0005

Recommended use of the chemical and restrictions on use

: Use pattern : Spray foam.  
Professional Use Only  
Recommended restrictions: None known.

Chemical family : Mixture

Name, address, and telephone number of the manufacturer:

**Icynene Inc.**

6747 Campobello Rd.

Mississauga, Ontario LN 2L7, Canada,

Manufacturer's Telephone # : (800) 758-7325

**24 Hr. Emergency Tel #** : (613) 996-6666

Name, address, and telephone number of the supplier:

Refer to manufacturer

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

White liquid . Amine odour.

Most important hazards: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Acute toxicity, oral - Category 4

Acute Toxicity, dermal - Category 4

Acute Toxicity, inhalation - Category 4 (vapor)

Skin Corrosion/Irritation - Category 1

Eye Damage/Irritation - Category 1

Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)

Label elements

Hazard pictogram(s)



Signal Word

Danger

Hazard statement(s)

Harmful if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary statement(s)

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 2 of 12

## SAFETY DATA SHEET

Avoid breathing dust/fume/gas/mist/vapours/spray.  
Use only outdoors or in a well-ventilated area.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/clothing and eye/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If skin irritation occurs, get medical advice/attention.  
Specific treatment (see this label).  
Take off contaminated clothing and wash it before reuse.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Immediately call a POISON CENTER or doctor/physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
Immediately call a poison center/doctor.

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

### Other hazards

Other hazards which do not result in classification:  
None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| <u>Chemical name</u>   | <u>Common name and synonyms</u>                                | <u>CAS #</u> | <u>Concentration</u> |
|--|--|--------------|----------------------|
| 2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate)        | Phosphoric trichloride, reaction products with propylene oxide | 1244733-77-4 | 40.0 - 50.0          |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- | N'-[3-(dimethylamino)propyl]-N,N-dimethylpropane-1,3-diamine   | 6711-48-4    | 1.0 - 10.0           |
| Dimethylaminoethanol, 2-                                       | 2-(Dimethylamino)ethanol                                       | 108-01-0     | 1.0 - 3.0            |
| Tris(nonylphenol)phosphite                                     | nonyl-pheno phosphite  | 26523-78-4   | 1.0 - 3.0            |

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

- Ingestion* : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms persist.
- Inhalation* : If inhaled: Remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a POISON CENTRE or doctor/physician if you feel unwell.
- Skin contact* : If on skin: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before re-use.
- Eye contact* : For eye contact, flush with running water for at least 15 minutes. If eye irritation persists: get medical advice/attention.

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 3 of 12

## SAFETY DATA SHEET

### Most important symptoms and effects, both acute and delayed

- : Causes skin burns. Contact may cause redness, swelling and a painful sensation. Can cause irritation, redness, tearing, and blurred vision and/or eye damage. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Symptoms may include redness, itching and swelling.

### Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

#### *Suitable extinguishing media*

- : Carbon dioxide (CO<sub>2</sub>); Dry chemical; Alcohol resistant foam; Water fog. .

#### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

### Special hazards arising from the substance or mixture / Conditions of flammability

- : Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

### Flammability classification (OSHA 29 CFR 1910.106)

- : Non-flammable.

### Hazardous combustion products

- : Carbon dioxide and carbon monoxide.

### Special protective equipment and precautions for firefighters

#### *Protective equipment for fire-fighters*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

#### *Special fire-fighting procedures*

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- : All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

### Environmental precautions

- : Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

### Methods and material for containment and cleaning up

- : Ventilate the area. Prevent further leakage or spillage if safe to do so. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.

### Special spill response procedures

- : Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 4 of 12

## SAFETY DATA SHEET

- : Wear protective gloves and eye/face protection. Use only in well-ventilated areas. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
- Conditions for safe storage** : Store in cool/well-ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking.
- Incompatible materials** : Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Limits:

| <u>Chemical Name</u>   | <u>ACGIH TLV</u> |             | <u>OSHA PEL</u> |             |
|--|------------------|-------------|-----------------|-------------|
|  | <u>TWA</u>       | <u>STEL</u> | <u>PEL</u>      | <u>STEL</u> |
| 2,2,4-Trimethyl-1,3-pentanediole mono(2-methylpropanoate)      | N/Av             | N/Av        | N/Av            | N/Av        |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- | N/Av             | N/Av        | N/Av            | N/Av        |
| Dimethylaminoethanol, 2-                                       | N/Av             | N/Av        | N/Av            | N/Av        |
| Tris(nonylphenol)phosphite                                     | N/Av             | N/Av        | N/Av            | N/Av        |

#### Exposure controls

##### Ventilation and engineering measures

- : Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use explosion-proof equipment. In case of insufficient ventilation wear suitable respiratory equipment.

##### Respiratory protection

- : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

##### Skin protection

- : Wear protective gloves/clothing. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

##### Eye / face protection

- : Wear eye/face protection. Wear as appropriate: Tightly fitting safety goggles

##### Other protective equipment

- : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

##### General hygiene considerations

- : Avoid breathing dust, mist or vapours. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Do not take contaminated clothing home. Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : White liquid.
- Odour** : Amine odor.
- Odour threshold** : No information available.

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 5 of 12

## SAFETY DATA SHEET

pH : 11  
Melting/Freezing point : No information available.  
Initial boiling point and boiling range : N/Av  
Flash point : Not flammable at 140°F  
Flashpoint (Method) : N/Av  
Evaporation rate (BuAe = 1) : N/Av  
Flammability (solid, gas) : Not applicable.  
Lower flammable limit (% by vol.) : Not applicable.  
Upper flammable limit (% by vol.) : Not applicable.  
Oxidizing properties : None known.  
Explosive properties : Not explosive  
Vapour pressure : N/Av  
Vapour density : N/Av  
Relative density / Specific gravity : 1.1  
Solubility in water : Miscible.  
Other solubility(ies) : No information available.  
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution : No information available.  
Auto-ignition temperature : No information available.  
Decomposition temperature : No information available.  
Viscosity : 700 cps @ 25°C  
Volatiles (% by weight) : N/Av  
Volatile organic Compounds (VOC's) : N/Av  
Absolute pressure of container : Not applicable.  
Flame projection length : Not applicable.  
Other physical/chemical comments : No additional information.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Hazardous polymerization does not occur.  
Conditions to avoid : Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.  
Incompatible materials : Strong oxidizing agents  
Hazardous decomposition products : Carbon oxides.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Routes of entry inhalation : YES

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 6 of 12

## SAFETY DATA SHEET

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption  
: YES

### Potential Health Effects:

#### Signs and symptoms of short-term (acute) exposure

##### *Sign and symptoms Inhalation*

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Acute toxicity - Category 4 (Inhalation) - Harmful if inhaled.

May cause respiratory irritation. Symptoms may include coughing and sneezing.

##### *Sign and symptoms ingestion*

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Acute toxicity, oral - Category 4 - Harmful if swallowed.

##### *Sign and symptoms skin*

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Skin Irritation - Category 1 - Causes severe skin burns. Acute Toxicity, dermal - Category 4 - Harmful in contact with skin.

##### *Sign and symptoms eyes*

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Eye Damage/Irritation - Category 1 - Causes serious eye damage.

#### Potential Chronic Health Effects

: Chronic skin contact with low concentrations may cause dermatitis.

#### Mutagenicity

: Not expected to be mutagenic in humans.

#### Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

#### Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

#### Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

#### Specific target organ effects

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific Target Organ Toxicity, Single Exposure - Category 3 (respiratory) - May cause respiratory irritation.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Medical conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

#### Synergistic materials

: No information available.

#### Toxicological data

:

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 7 of 12

## SAFETY DATA SHEET

| <u>Chemical name</u>   | <u>LC<sub>50</sub>(4hr)</u><br><u>inh, rat</u> | <u>LD<sub>50</sub></u> |                         |
|--|--|------------------------|-------------------------|
|  |  | <u>(Oral, rat)</u>     | <u>(Rabbit, dermal)</u> |
| 2,2,4-Trimethyl-1,3-pentane diolmono(2-methylpropanoate)       | 5mg/L/4H                                       | 500mg/kg               | 1230mg/kg               |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- | N/Av   | 1620 µL/kg             | N/Av                    |
| Dimethylaminoethanol, 2-                                       | 6.1 mg/L 4 h                                   | 1803 mg/kg             | N/Av                    |
| Tris(nonylphenol)phosphite                                     | N/Av   | 10000 mg/kg            | N/Av                    |

**Other important toxicological hazards**

: None reported by the manufacturer.

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Do not release, unmonitored, into the environment.

**Ecotoxicity data:**

| <u>Ingredients</u>   | <u>CAS No</u> | <u>Toxicity to Fish</u>                          |                      |                 |
|--|---------------|--|----------------------|-----------------|
|  |               | <u>LC50 / 96h</u>                                | <u>NOEC / 21 day</u> | <u>M Factor</u> |
| 2,2,4-Trimethyl-1,3-pentandiol mono(2-methylpropanoate)        | 1244733-77-4  | N/Av   | N/Av                 | N/Av            |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- | 6711-48-4     | N/Av   | N/Av                 | N/Av            |
| Dimethylaminoethanol, 2-                                       | 108-01-0      | 96 Hr LC50 Pimephales promelas: 81 mg/L [static] | N/Av                 | N/Av            |
| Tris(nonylphenol)phosphite                                     | 26523-78-4    | 96 Hr LC50 Brachydanio rerio: <10 mg/L [static]  | N/Av                 | N/Av            |

| <u>Ingredients</u>   | <u>CAS No</u> | <u>Toxicity to Daphnia</u>                    |                      |                 |
|--|---------------|---|----------------------|-----------------|
|  |               | <u>EC50 / 48h</u>                             | <u>NOEC / 21 day</u> | <u>M Factor</u> |
| 2,2,4-Trimethyl-1,3-pentandiol mono(2-methylpropanoate)        | 1244733-77-4  | EC50/48h/Daphnia magna (Water flea) = 63 mg/L | N/Av                 | N/Av            |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- | 6711-48-4     | N/Av  | N/Av                 | N/Av            |
| Dimethylaminoethanol, 2-                                       | 108-01-0      | 48 Hr EC50 Daphnia magna: 98.77 mg/L          | N/Av                 | N/Av            |
| Tris(nonylphenol)phosphite                                     | 26523-78-4    | 48 Hr EC50 Daphnia magna: 0.42 mg/L           | N/Av                 | N/Av            |

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 8 of 12

## SAFETY DATA SHEET

| Ingredients  | CAS No       | Toxicity to Algae                                 |                   |          |
|--|--------------|---|-------------------|----------|
|  |              | EC50 / 96h or 72h                                 | NOEC / 96h or 72h | M Factor |
| 2,2,4-Trimethyl-1,3-pentanediol mono(2-methylpropanoate)       | 1244733-77-4 | N/Av  | N/Av              | N/Av     |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- | 6711-48-4    | N/Av  | N/Av              | N/Av     |
| Dimethylaminoethanol, 2-                                       | 108-01-0     | 72 Hr EC50<br>Desmodosmus<br>subspicatus: 35 mg/L | N/Av              | N/Av     |
| Tris(nonylphenol)phosphite                                     | 26523-78-4   | N/Av  | N/Av              | N/Av     |

**Persistence and degradability**

: Not expected to be rapidly biodegradable.

**Bioaccumulation potential**

: No data is available on the product itself.

| Components   | Partition coefficient n-octanol/ater (log Kow) | Bioconcentration factor (BCF) |
|--|--|-------------------------------|
| 2,2,4-Trimethyl-1,3-pentanediol mono(2-methylpropanoate) (CAS 1244733-77-4)    | N/Av   | N/Av                          |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- (CAS 6711-48-4) | N/Av   | N/Av                          |
| Dimethylaminoethanol, 2- (CAS 108-01-0)  | -0.55 at 23 °C                                 | N/Av                          |
| Tris(nonylphenol)phosphite (CAS 26523-78-4)                                    | N/Av   | N/Av                          |

**Mobility in soil** : The product itself has not been tested.

**Other Adverse Environmental effects**

: None known.

### SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal**

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

**Methods of Disposal**

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

### SECTION 14. TRANSPORTATION INFORMATION

| Regulatory Information | UN Number | UN proper shipping name | Transport hazard class(es) | Packing Group | Label |
|------------------------|-----------|-------------------------|----------------------------|---------------|-------|
|                        |           |                         |                            |               |       |







LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 9 of 12

### SAFETY DATA SHEET

|   |       |                |               |      |  |
|---|-------|----------------|---------------|------|--|
| 49CFR/DOT                                       | None. | Not regulated. | not regulated | none |   |
| <b>49CFR/DOT<br/>Additional<br/>information</b> | None. |                |               |      |  |
| TDG   | None. | Not regulated. | not regulated | none |   |
| <b>TDG<br/>Additional<br/>information</b>       | None. |                |               |      |  |
| IMDG  | None. | Not regulated. | not regulated | none |   |
| <b>IMDG<br/>Additional<br/>information</b>      | None. |                |               |      |  |
| ICAO/IATA                                       | None. | Not regulated. | not regulated | none |  |
| <b>ICAO/IATA<br/>Additional<br/>information</b> | None. |                |               |      |  |

**Special precautions for user** : Appropriate advice on safety must accompany the package.

**Environmental hazards** : See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: This information is not available.

### SECTION 15 - REGULATORY INFORMATION

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

| <u>Ingredients</u>   | CAS #        | TSCA<br>Inventory | CERCLA<br>Reportable<br>Quantity(RQ) (40<br>CFR 117.302): | SARA TITLE III:<br>Sec. 302,<br>Extremely<br>Hazardous<br>Substance, 40<br>CFR 355: | SARA TITLE III: Sec. 313, 40 CFR<br>372, Specific Toxic Chemical |                             |
|--|--------------|-------------------|---|---|--|-----------------------------|
|  |              |                   |   |   | Toxic Chemical   | de minimus<br>Concentration |
| 2,2,4-Trimethyl-1,3-penta<br>nediolmono(2-methylpro<br>panoate)        | 1244733-77-4 | Yes               | N/Ap  | N/Av  | No   | NS                          |
| 1,3-Propanediamine, N'-<br>[3-(dimethylamino)propyl]<br>-N,N-dimethyl- | 6711-48-4    | Yes               | N/Ap  | N/Av  | No   | NS                          |
| Dimethylaminoethanol,<br>2-  | 108-01-0     | Yes               | N/Ap  | N/Av  | No   | NS                          |
| Tris(nonylphenol)phosphi<br>te   | 26523-78-4   | Yes               | N/Ap  | N/Av  | No   | NS                          |

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 10 of 12

## SAFETY DATA SHEET

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

| Ingredients  | CAS #        | California Proposition 65 |                  | State "Right to Know" Lists |     |    |     |     |    |
|--|--------------|---------------------------|------------------|-----------------------------|-----|----|-----|-----|----|
|  |              | Listed                    | Type of Toxicity | CA                          | MA  | MN | NJ  | PA  | RI |
| 2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate)        | 1244733-77-4 | No                        | N/Ap             | No                          | No  | No | No  | No  | No |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- | 6711-48-4    | No                        | N/Ap             | No                          | No  | No | No  | No  | No |
| Dimethylaminoethanol, 2-                                       | 108-01-0     | No                        | N/Ap             | No                          | Yes | No | Yes | Yes | No |
| Tris(nonylphenol)phosphite                                     | 26523-78-4   | No                        | N/Ap             | No                          | No  | No | No  | No  | No |

### Canadian Information:

Canadian Environmental Protection Act (CEPA): All ingredients listed appear on the Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this Material Safety Data Sheet contains all the information required by the CPR.

### International Information:

Components listed below are present on the following International Inventory list:

| Ingredients  | CAS #        | European EINECS | Australia AICS | Philippines PICCS | Japan ENCS                   | Korea KECI/KECL           | China IECSC | NewZealand IOC |
|--|--------------|-----------------|----------------|-------------------|------------------------------|---------------------------|-------------|----------------|
| 2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate)        | 1244733-77-4 | Listed          | Listed         | Listed            | Listed                       | Listed                    | Listed      | Listed         |
| 1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl- | 6711-48-4    | 229-761-9       | Present        | Present           |                              | 2002-1-528;<br>KE-05-0505 | Present     | Present        |
| Dimethylaminoethanol, 2-                                       | 108-01-0     | 203-542-8       | Present        | Present           | (2)-353; (2)-297             | KE-11494                  | Present     | HSR002971      |
| Tris(nonylphenol)phosphite                                     | 26523-78-4   | 247-759-6       | Present        | Present           | (3)-2544; (3)-2530; (3)-2527 | KE-26237                  | Present     | HSR003629      |

## SECTION 16. OTHER INFORMATION

### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists  
AICS: Australian Inventory of Chemical Substances  
ATE: Acute Toxicity Estimate  
CA: California  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 11 of 12

## SAFETY DATA SHEET

of 1980

CFR: Code of Federal Regulations

CSA: Canadian Standards Association

DOT: Department of Transportation

ECHA: European Chemicals Agency

ECOTOX: U.S. EPA Ecotoxicology Database

EINECS: European Inventory of Existing Commercial chemical Substances

ENCS: Existing and New Chemical Substances

EPA: Environmental Protection Agency

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

IBC: Intermediate Bulk Container

IECSC: Inventory of Existing Chemical Substances

IMDG: International Maritime Dangerous Goods

IOC: Inventory of Chemicals

IUCLID: International Uniform Chemical Information Database

KECI: Korean Existing Chemicals Inventory

KECL: Korean Existing Chemicals List

LC: Lethal Concentration

LD: Lethal Dose

MA: Massachusetts

MN: Minnesota

N/Ap: Not Applicable

N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances

SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet / Material Safety Data Sheet

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values

TSCA: Toxic Substance Control Act

TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

### References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2014.
- 2. International Agency for Research on Cancer Monographs, searched 2015.
- 3. Canadian Centre for Occupational Health and Safety, CCHInfoWeb databases, 2015 (Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists - October 2012 version.
- 6. California Proposition 65 List - December 26, 2014 version

### Preparation Date (mm/dd/yyyy)

: 09/02/2015

### Other special considerations for handling


: Provide adequate information, instruction and training for operators.

LDC-50 - Classic™

SDS Preparation Date (mm/dd/yyyy): 09/02/2015

Page 12 of 12

## SAFETY DATA SHEET

|  |  |
|--|--|
| <p><b><u>Prepared for:</u></b><br/>Icynene Inc.<br/>6747 Campobello Rd<br/>Mississauga, Ontario L5N 2L7<br/>(800) 758-7325</p>   |  |
| <p><b><u>Prepared by:</u></b><br/>ICC The Compliance Center Inc.<br/>Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada)<br/><a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p> |  |

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Icynene Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Icynene Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this Safety Data Sheet does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Icynene Inc.

**END OF DOCUMENT**

# Health & Safety Certified Sprayer

Icynene spray foam insulation products have an excellent health and safety record spanning more than 350,000 projects over more than 25 years. Nonetheless, safe handling practices during and immediately following installation are required to eliminate the possibility of health effects from exposure to isocyanates. Asthma, other lung problems, and irritation of the nose and throat can result from inhalation of isocyanates. Direct contact with the skin and eyes can result in irritation. Different individuals will react differently to the same exposures; some will be more sensitive than others. Severe asthma attacks have been reported in some sensitized workers exposed repeatedly to isocyanates while not wearing proper protective equipment. Some reports indicate a reaction and sensitization can occur following a single, sustained occupational exposure to isocyanates without proper protective equipment above the OSHA permissible exposure limit. But sensitization might not occur immediately in some individuals. Consistent use of personal proper protective equipment to prevent exposure during spraying and within the 1 hour\*\*-period after spraying is completed is critical to eliminating the health hazard. Once sensitization has occurred, a worker might not be able work safely with spray foam insulation again.

Sprayers, sprayer helpers, and anyone else present during spraying or within 1 hour\*\* after spraying is complete: You must ventilate at 40ACH and must wear proper Personal Protective Equipment (PPE) at all times during spray, including full-body-coverage, chemical-protective clothing and a NIOSH-certified respirator with fresh air supply. While spraying and for 1 hour\*\* after spraying is completed, no one must be allowed within 50 feet of the sprayed foam without wearing this type of PPE at all times. Adequate active, negative pressure ventilation (exhaust fans) of the job site must be in place during spray and for 2 hours\*\* after spray is complete to allow for re-occupancy.

For installations of low VOC products Icynene Classic Max and Icynene ProSeal in the United States only, re-entry of the job site is permitted after 1 hour\*\* and re-occupancy of the job site is permitted after 2 hours\*\* provided that ventilation rates are followed as recommended on this page.

Independent studies and third party toxicologist verification indicates that when the prescribed ventilation rates and periods are followed, Icynene spray foam insulation is safely cured.



## RE-ENTRY AND RE-OCCUPANCY PERIODS

Times based upon ventilating during and after a spray application.

| Ventilation Rate (Air Changes per Hour) | Re-entry period for sprayers, helpers, informed trade workers and contractors | Re-occupancy period for all others |
|---|---|------------------------------------|
| At 0.3 ACH                              | 24 hours  | 24 hours                           |
| At 1.0 ACH                              | 12 hours*   | 24 hours                           |
| At 10.0 ACH                             | 4 hours*  | 24 hours                           |
| At 40.0 ACH                             | 1 hour**  | 2 hours**                          |

\* Twelve (12) and four (4) hour re-entry for trades applies to all Icynene products sold in the United States.

\*\* One (1) hour re-entry and two (2) hour re-occupancy applies only to Low VOC products (Icynene Classic Max and Icynene ProSeal).

Icynene Inc. 6747 Campobello Road  
Mississauga, Ontario L5N 2L7 Canada

Ph: 1.800.758.7325 • ICYNENE.COM

SL-511 • Updated August 2015

**ICYNENE®**  
The Evolution of Insulation™